



SALE NEW

BENETEAU Figaro 3

119 500 € EX. VAT

Description

Beneteau Figaro 3 The Figaro BENETEAU 3 is the first production foiling one-design monohull ever to be designed. A distillation of technology and innovation, it results from a collaboration between group BENETEAU's best experts and the Van Peteghem Lauriot-Prévost (VPLP) office, the architects of the two last boats to win the Vendée Globe. The prototype has been tested and the production of the boat has been launched. It will enter the ISO/World Sailing design category A. The specifications define the FB3 monohull as being as reliable as its predecessor, the FB2. It is equipped with foils, a better performing ballast-free hull, a more slender and deeper keel, a setback mast and a more extensive and larger sail plan.

Présentation du Beneteau Figaro 3 Le Figaro Beneteau 3 est un voilier de course au large conçu pour la navigation en solitaire et en équipage réduit. Lancé en 2018 par beneteau, il est devenu la référence du championnat de la La Solitaire du Figaro. Sa principale innovation est d'être le premier monocoque monotype de série équipé de foils.

Innovations technologiques Foils latéraux Contrairement aux foils des IMOCA, ceux du Figaro 3 ne servent pas principalement à faire « voler » le bateau hors de l'eau. Ils réduisent la dérive, augmentent le couple de redressement et améliorent les performances globales sans augmenter le poids du bateau.

Specifications

YEAR

2026

WIDTH (M)

3.48

ENGINE MANUFACTURER

Nanni N3.21

POWER

1 X 21 HP

LENGTH (M)

10.90

FUEL TANK (L)

11

ENGINE HOURS

2

General

Type Sail	Brand BENETEAU	Model Figaro 3	Current Location Nantes
--------------	-------------------	-------------------	----------------------------

Dimensions/performance

Displacement Laden (T) 3.18	Fuel (L) 11
--------------------------------	----------------

Building/facilities

Hull Material
Fiberglass

Engine

Engine Nanni N3.21	Power 1x21CV	Engine Year 2025	Engine Hours 2
Propeller Type Inboard	Fuel Diesel	Description Nanni N3.21 de 2025 21 hp diesel Inboard	

Electrical/air Conditioning

Voltage
12 volt





